

## **Energy Medical Expert's Report on the AQUA ROYAL® „Energy Rod“**

In the following 5 pages we give a report on a **series of tests** using the meridian diagnostics (System Prognos®) concerning the biologic-energetic effects of an acryl glass stick called AQUA ROYAL „**Energy Rod**“, which is informed and shall have a positive effect on water and possibly on persons, too.

In the test series the solving of the following two problems were aimed at:

1. Evaluation of the effects as a medium on normal tap water: tests with and without treatment by the Energy Rod.
2. Evaluation of the effects as a medium on persons holding the Energy Rod in their hands.

**Test persons:** ten (mixed concerning age and sex)

**Time of the investigations:** October 2002

**Location of the investigations:** Holistic DiagCenter®, Irschenberg

### **Method:**

#### ***Meridian diagnostics (System Prognos®):***

Skin resistance measurements at 24 acupuncture points, calculating the average, comparing of the actual one with the average of the measurement just before: changing of the “state of energy”. Additionally a calculation of the changes of the “state of harmony” as a reciprocal value of the variation of the 24 results takes place. The starting and the end points (Ting-points) of the classical TCM (Traditional Chinese Medicine) meridians are used. 12 from each side are 24 together. They are situated directly beside the edges of the folds of the finger and the toe nails, so they cannot be missed.

The basic theory says that the average value of the resistances of the 24 meridians represents the state of the „Chi“, which corresponds to the TCM description of the life energy. As the

resistance and the Chi are related reciprocally, the Ohm-value is transferred to its reciprocal which is directly proportional to the conductance and to the Chi, too.

The value of a measurement which just happened is the basic value for the next measurement, the change of which is shown as percent. Increases of the conductance of more than 7 % are judged as a „yes“, and 7 % decreases as a „no“, with the neutral range between + and – 7 %.

The meridian diagnostics is working on the levels of **energy and information**. It contains the vegetative and autonomous regulations of the body systems.

**Preparation** of the test persons:

A provocation is made by a pulsating magnetic field for 3 min., or by a piezo stick (7 pressings on the point Gov. 20). Then a de-switching procedure follows for the purpose of a synchronisation of the brain. This practice is as follows: with crossed forearms four finger tips are put above the eyebrows, the thumbs below, then 20 – 30 sec. soft massage by moving the skin.

Every person having had a mobile phone call of longer than 2 min. should perform this practice afterwards. The reason is that in the temporary era of electro-smog pollution a lot of people are in the state of “switching” temporarily or even continuously. The parts of the brain are dissociated or desynchronized or fragmented in this situation. In case of PC working this can be found after 3 hours work without shielding regularly.

The effect of this that test methods which include the central nervous system, will show false or paradox results as the brain (like the immune system) can no longer decide what is good and what is bad for the person. Intellect, emotions, and affects are fighting each other without association or communication. A tendency to an addiction will develop, e.g. conc. coffee, chocolate, cigarettes, or even the electro-smog itself. Software programmers are suffering from this often.

Examinations and investigations concerning electro-smog, which are not taking this problem into consideration, are not safe or believable. A typical result is that a test person who is in a state of switching = de-synchronisation, shows an increase of his energy and harmony during a mobile phone call of more than 2 min., whereas after the de-switching practice he shows the normal result of a decrease.

**Topic and test procedure 1:**

1. Basic measurement
2. Preparation of the test person, control measurements
3. Measurement with a glass of tap water in the left hand
4. Like 3, however, with the Energy Rod in the water for more than 5 min.
5. Measurement after drinking a draught of the tap water
6. Measurement after drinking a draught of the informed water

**Topic and test procedure 2:**

7. Basic measurement
8. Preparation of the test person, control measurements
9. Measurement with the Energy Rod in the left hand
10. Continuous measurements up to the 10. min (or to the 40.) minute

**Results:**

**Topic 1:**

**Tap water without or with the Energy Rod**

**Table 1a: Changes of energy:**

**A = tap water in left hand**

**B = informed tap water in left hand**

**C = after drinking tap water**

**D = after drinking informed tap water**

| Tests                              | A            | B            | C            | D             |
|------------------------------------|--------------|--------------|--------------|---------------|
| Proband 1 (f, 63)                  | - 11         | - 8          | 0            | - 3           |
| Proband 2 (m, 40)                  | - 17         | - 14         | + 6          | + 12          |
| Proband 3 (m, 61)                  | - 6          | + 3          | + 11         | 0             |
| Proband 4 (f, 23)                  | - 10         | + 13         | - 12         | + 2           |
| Proband 5 (m, 53)                  | - 3          | + 6          | + 4          | + 13          |
| Proband 6 (m, 49)                  | - 11         | + 13         | - 3          | + 8           |
| Proband 7 (m, 62)                  | + 2          | + 2          | - 4          | + 16          |
| Proband 8 (m, 50)                  | - 6          | + 9          | - 8          | + 14          |
| Proband 9 (f, 49)                  | - 24         | - 30         | - 20         | + 27          |
| Proband 10 (m, 28)                 | - 10         | - 2          | - 26         | + 40          |
| <b>Averages</b>                    | <b>- 8,6</b> | <b>- 0,8</b> | <b>- 5,2</b> | <b>+ 12,9</b> |
| <b>Number of positiv reactions</b> | <b>0</b>     | <b>3</b>     | <b>1</b>     | <b>7</b>      |
| <b>Number of neutral reactions</b> | <b>4</b>     | <b>4</b>     | <b>5</b>     | <b>3</b>      |
| <b>Number of negativ reactions</b> | <b>6</b>     | <b>3</b>     | <b>4</b>     | <b>0</b>      |

**Statistical evaluation of the table 1a:**

Acc. to Student's t-test the following significant differences exist:

Change of Energy            A vs. B: significant for  $p < 0,1$

Change of Energy            C vs. D: significant for  $p < 0,05$

## Energy-Medical Expert's Report on the AQUA ROYAL® „Energy Rod“

**Table 1b: Changes of harmony:**

**A = tap water in left hand**

**B = informed tap water in left hand**

**C = after drinking tap water**

**D = after drinking informed tap water**

| Tests                              | A             | B             | C             | D             |
|------------------------------------|---------------|---------------|---------------|---------------|
| Proband 1 (f, 63)                  | + 2           | - 8           | - 28          | 0             |
| Proband 2 (m, 40)                  | - 14          | - 42          | + 20          | + 27          |
| Proband 3 (m, 61)                  | - 51          | + 34          | + 21          | 0             |
| Proband 4 (f, 23)                  | - 52          | + 43          | - 27          | + 26          |
| Proband 5 (m, 53)                  | - 44          | + 40          | - 47          | + 53          |
| Proband 6 (m, 49)                  | - 23          | + 26          | - 5           | + 21          |
| Proband 7 (m, 62)                  | + 6           | + 27          | - 54          | + 42          |
| Proband 8 (m, 50)                  | - 99          | + 52          | - 118         | + 47          |
| Proband 9 (f, 49)                  | - 56          | - 53          | - 35          | + 46          |
| Proband 10 (m, 28)                 | - 18          | + 11          | - 68          | + 57          |
| <b>Averages</b>                    | <b>- 34,9</b> | <b>+ 13,0</b> | <b>- 33,8</b> | <b>+ 31,9</b> |
| <b>Number of positiv reactions</b> | <b>0</b>      | <b>7</b>      | <b>2</b>      | <b>8</b>      |
| <b>Number of neutral reactions</b> | <b>2</b>      | <b>0</b>      | <b>1</b>      | <b>2</b>      |
| <b>Number of negativ reactions</b> | <b>8</b>      | <b>3</b>      | <b>7</b>      | <b>0</b>      |

### Statistical evaluation of the table 1b:

Acc. to Student`s t-test the following significant differences exist:

Change of Harmony      A vs. B: significant for  $p < 0,01$

Change of Harmony      C vs. D: significant for  $p < 0,005$

### Interpretation of the results of tables 1a and 1b: effects of the Energy Rod on water

Normal tap water usually results in a loss of energy and harmony, in the virtual tests as well as in the concrete tests of drinking. After a treatment by the Aqua Royal®-Energy Rod the same water probes (in the same glasses) lead to an increase of energy and harmony which is especially obvious after drinks of the water probes. These improvements are highly significant.

**Topic 2:**

**Effects of the Energy Rod in the hand of persons: check of the development**

**Table 2a: Changes of energy**

| Minutes           | 2           | 4           | 6           | 8           | 10          | 12          | 14          | 16          | 18          | 20          | Sum          |
|-------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|
| Proband 1 (f, 23) | +10         | -5          | -4          | +1          | +2          | +2          |             |             |             |             | +6           |
| Proband 2 (m, 62) | -8          | -1          | +8          | -4          | -3          | +5          | +6          | +2          | -11         | +9          | +3           |
| Proband 3 (m, 56) | +6          | -9          | +4          | +6          | +13         | +1          | +4          |             |             |             | +25          |
| Proband 4 (f, 53) | +14         | +3          | -4          | +12         | -5          | -17         | +14         | +5          | -5          | -1          | +10          |
| Proband 5 (m, 28) | -8          | +2          | +3          | +10         | +4          | 0           |             |             |             |             | +11          |
| <b>Averages</b>   | <b>+2.8</b> | <b>-2.0</b> | <b>+1,4</b> | <b>+5.0</b> | <b>+2.3</b> | <b>-2.1</b> | <b>+8.0</b> | <b>+3.5</b> | <b>-8.0</b> | <b>+4.0</b> | <b>+11.0</b> |

**Table 2b: Changes of harmony**

| Minutes           | 2            | 4            | 6           | 8           | 10          | 12           | 14          | 16          | 18          | 20           | Sum          |
|-------------------|--------------|--------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|--------------|--------------|
| Proband 1 (f, 23) | +43          | -5           | -7          | -2          | +1          | +21          |             |             |             |              | +51          |
| Proband 2 (m, 62) | +8           | -23          | +25         | -38         | 0           | +33          | -16         | +2          | +5          | -3           | -7           |
| Proband 3 (m, 56) | +9           | -22          | -35         | +33         | +17         | 0            | +22         |             |             |              | +24          |
| Proband 4 (f, 53) | +49          | -17          | +12         | +9          | -12         | +4           | -12         | +12         | +14         | -24          | +35          |
| Proband 5 (m, 28) | -12          | +8           | -13         | +25         | +25         |              |             |             |             |              | +33          |
| <b>Averages</b>   | <b>+19.4</b> | <b>-11.8</b> | <b>-3.6</b> | <b>+5.4</b> | <b>+6.2</b> | <b>+14.5</b> | <b>-2.0</b> | <b>+7.0</b> | <b>+9.5</b> | <b>-13.5</b> | <b>+27.2</b> |

**Interpretation of the results of tables 2a and 2b: effects of the Energy Rod on persons**

Taking of the Energy Rod into the hands results first in an improvement of energy and harmony, followed by a small opposite regulation. Then a typical biological sinus curve goes on with a slight positive overweight. The sum of all changes shows positive numbers. This is, however, not as strong as the results of the water drinks.

## Summary:

1. The AQUA ROYAL® „Energy Rod“ has its main operational area in the improvement of the quality of water. This was not determined by physical parameters, but by testing the effects on the bio-energetic state of persons.
2. The AQUA ROYAL® “Energy Rod” is able to convert the usually negative effects of tap water into positive effects. This concerns virtual tests as well as concrete drinks of the water probes. The effect of the “Energy Rod” is time dependent which means a beginning after a few minutes and an asymptotical increase up the 15th minute. So, water should be treated over this time, together with a stirring now and then.
3. By testing the effects of holding the AQUA ROYAL® “Energy Rod” in the hand it was shown that it has a direct building-up consequence on people. There are no side-effects.
4. The information of the AQUA ROYAL® “Energy Rod” can be judged as turned out well. Its most important operational area of energetic-informational treatments of liquids is at the same side its most successful field. This was proven by high significances. For instance it can be recommended not to drink tap water purely, but to optimize it by stirring it with the “Energy Rod”.
5. It can be assumed that the increases of energy and harmony may turn out as improvements of healing processes, too.

Dr. med. Manfred Doepp  
Holistic DiagCenter®

### *Remarks:*

*The Holistic DiagCenter® is a reference institute of the  
German Society for Energy and Information Medicine (DGEIM) e.V.*

*Dr. med. Manfred Doepp is reviewer of the following societies:  
International Society on Systemics, Cybernetics and Informatics,  
International Society on Computer, Communication and Control Technologies.*